

US009408370B2

(12) United States Patent

Schwartz

(10) Patent No.:

US 9,408,370 B2

(45) **Date of Patent:**

Aug. 9, 2016

(54) SYSTEMS AND METHODS OF REMOVING AND MANAGING HEAVY METALS

(76) Inventor: **Anne Schwartz**, Tualatin, OR (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35

U.S.C. 154(b) by 857 days.

(21) Appl. No.: 13/448,362

(22) Filed: Apr. 16, 2012

(65) Prior Publication Data

US 2012/0201938 A1 Aug. 9, 2012

Related U.S. Application Data

- (62) Division of application No. 12/134,955, filed on Jun. 6, 2008, now Pat. No. 8,178,306.
- (60) Provisional application No. 60/933,640, filed on Jun. 7, 2007.

(51)	Int. Cl.	
	A61K 38/02	(2006.01)
	A01K 15/02	(2006.01)
	A23K 1/00	(2006.01)
	A23K 1/18	(2006.01)
	A61K 31/198	(2006.01)
	A61K 31/66	(2006.01)
	G01N 33/12	(2006.01)
	G01N 1/02	(2006.01)

(52) **U.S. Cl.**

(58) Field of Classification Search

None

See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

3,969,244 6,322,963	Kobayashi Bauer	
6,896,809 1 8,178,306 1	Qian et al. Schwartz	 210/638

OTHER PUBLICATIONS

Chailapakul, et al., "Fast and simultaneous detection of heavy metals using a simple and reliable microchip-electochemistry rout: An alternative approach to food analysis," Talanta 74: 683-689 (2008; Availible Jul. 1, 2007 online).

Chapman, et al., "Differentially ligand-functionalized microcantilever arrays for metal ion identification and sensing," Anal. Chem. 79: 7062-7068 (2007).

Nolan and Lippard, "A 'Turn-On' Fluorescent Sensor for the Selective Detection of Mercuric Ion in Aqueous Media," JACS 125:14270-14271 (2003).

* cited by examiner

Primary Examiner — Anand Desai (74) Attorney, Agent, or Firm — Cooley LLP

(57) ABSTRACT

Systems and methods remove and manage heavy metals. In one implementation, an exemplary method can be applied to food processing and food consumption to remove heavy metals such as mercury, lead, uranium and cadmium before absorption by a living organism. The exemplary method exposes the food to a heavy-metal binding ligand, such as a concentrated protein or phytic acid, to form a heavy-metal chelate, and then allows the chelate to separate from the food. In another implementation, an exemplary probe possesses innovative molecular layers on its surface to detect and quantify heavy metals by attracting and binding traces of the heavy metals on a ligand layer.

8 Claims, 9 Drawing Sheets